1 OF 2

SAVE 100.00 SELF MEASURE CUSTOMER ACCOUNTABILITY AGREEMENT

ONE CLEAR CHOICE OFFERS A RISK FREE SITE CHECK AND MEASUREMENT SERVICE THAT REQUIRES A 25.00 DEPOSIT. THIS DEPOSIT IS APPLIED 100% TO THE INSTALLATION OF THE GARAGE DOOR. ADDITIONALLY ONE CLEAR CHOICE HAS A LOW PRICE GUARANTEE. IF WE CAN NOT BEAT A LEGITIMATE COMPETITOR AS EXPLAINED IN THE LOW PRICE GUARANTEE PUBLISHED ON OUR WEBSITES THE CUSTOMER WILL NOT ONLY RECEIVE THE 25.00 BACK ONE CLEAR CHOICE WILL PAY THEM 50.00 FOR FAILING TO BEAT A LEGITAMATE OFFER. NO ONE DOES THIS. PROFESSIONAL MEASUREMENT AND SITE CHECK IS STRONGLY RECOMMENDED.

ONE CLEAR CHOICE WILL CREDIT AN ADDITIONAL 100.00 TO EXISTING DISCOUNTS, SPECIALS AND OFFERS FOR MEASUREMENTS THAT ARE PROVIDED BY THE CUSTOMER. HOWEVER, THE FOLLOWING AGREEMENTS MUST BE MADE:

- CUSTOMER AGREES TO PAY 50% OF FULL LISTED PRICE + 250.00 NON-REFUNDABLE DEPOSIT FOR THE COST OF THE DOOR. IF THE GARAGE DOOR DOES NOT FIT BECAUSE THE CUSTOMER MEASURED IT WRONG THE CUSTOMER OWNS THAT GARAGE DOOR ANS WILL NOT BE REFUNDED ANY AMOUNT.
- CUSTOMER AGREES THAT IF THE GARAGE DOOR DOES NOT FIT DUE TO IMPROPER MEASUREMENT THE CUSTOMER WILL BE HELD RESPONSIBLE FOR ANY ADDITIONAL CHARGES THAT MAY BE REQUIRED IN ORDER TO MAKE THE GARAGE DOOR FIT.
- 3. CUSTMER AGREES THAT IF THE GARAGE DOOR DOES NOT FIT DUE TO INCORRECT CUSTOMER MEASUREMENT THEN A MINIMUM OF 250.00 CHARGE WILL BE INCURRED. THAT 250.00 WILL BE PROVIDED FROM THE INITIAL DEPOSIT. THIS CHARGE IS IN ORDER TO COMPENSATE ONE CLEAR CHOICE AND TECHNICIANS FROM LOST TIME DUE TO CUSTOMER ERROR.

| CUSTOMER SIGNATUREX | DATE |
|----------------------|----------|
| CUSTOWIER SIGNATUREX | DATE |

2 OF 2

PLEASE COMPLETE AND SIGN MEASURE FORM ONE FORM FOR EACH DOOR MEASURED

| SIEI #I WIDTH A HEIGHT OF ENING | A | |
|--|--|--|
| WIDTH X HEIGHT EXISTING the width and height (1 and 2) of your door The rough opening should be the same size a | opening in feet and inches to determine the garage | Measur e door size you need |
| MAKE SURE YOU GIVE US YOUR SHO | ORTEST HEIGHT AND LONGEST WIDTH | |
| STEP #2 LEFT SIDE ROOM = | RIGHT SIDE ROOM =_ | |
| | (3 and 4) - a minimum 3-3/4" is required on each spring, standard torsion spring and the EZ-SET® T Spring System. | |
| STEP #3 HEADROOM =INSIDE OF THE WIDTH OF THE TRAC | (PAY ATTENTION TO ANY OBSTRUCT CK DOOR WIDTH + 10") | ΓΙΟΝ THAT IS |
| ceiling (or floor joist). 10" is required for the 12.5" is required for a standard torsion spring headroom, special hardware is available. Add garage door opener. NOTE: If garage door he | the distance between the top of the door opening (j standard extension spring or EZ-SET® Extension is and EZ-SET® Torsion Spring System. If you have ditional headroom 13.5" is required for installation eight extends above the opening, the headroom mean THE TOP OF THE DOOR BEING INSTALL INTERING FOR HEAD ROOM. | Spring System while e restricted of an automatic asurement should be |
| STEP #4 BACKROOM = DOOR OR OPENER FROM GOING IN. | LOOKING FOR ANYTHING THAT WII | LL OBSTRUCT |
| | e is measured from the garage door opening toward litional back room may be required for automatic g OST OPENERS | |
| GUARANTEE THAT PAYS ME. I UNDER ADDITIONAL COST AND THAT ALL DE | DICE HAS A NO RISK MEASUREMENT AND I STAND ANY MISSED MEASUREMENT MAY POSITS ARE NOT REFUNDABLE AND THAT ASUREMENTS IN ORDER TO SAVE 100.00. | RESULT IN |
| CUSTOMER | DATE | |
| PLEASE PRINT. SIGN, SCAN AND RETU AUTHORIZATIONS. | RN TO ONE CLEAR CHOICE WITH ALL OTHI | ER |